SD Card

1 GB 2 GB

INTRODUCTION

The Integral SD memory card can be used in a variety of digital products including Digital Camera's, PDA's, Satelite Navigation and MP3/4 players.

FEATURES

- High compatibility controller
- Protective case included

PRODUCT TYPE

SD Card

INTERFACE TYPE

9 Pins

ENVIRONMENTAL PARAMETERS

Min Operating Temperature 0°c
Max Operating Temperature 60°c

COMPLIANT STANDARD

Secure Digital Association

	HIGHT	WIDTH	DEPTH	WEIGHT
PRODUCT	32mm	24mm	2.1mm	2g
PACKED	138mm	93mm	8mm	20g

CAPACITY	PART CODE	BARCODE (EAN)
1GB	INSD1G	5039014041230
2GB	INSD2G	5039014156354

This device should not be used as your sole backup.

Product design and specification subject to change or modification without notice. E&OE. All trademarks acknowledged.

5 year warranty

SD Card Twin Pack

1 GB 2 GB

INTRODUCTION

The Integral SD memory card can be used in a variety of digital products including Digital Camera's, PDA's, Satelite Navigation and MP3/4 players.

FEATURES

- Great value twin pack
- High compatibility controller
- Protective case included

PRODUCT TYPE

SD Card

INTERFACE TYPE

9 Pins

ENVIRONMENTAL PARAMETERS

Min Operating Temperature 0°c
Max Operating Temperature 60°c

COMPLIANT STANDARD

Secure Digital Association

	HIGHT	WIDTH	DEPTH	WEIGHT
PRODUCT	32mm	24mm	2.1mm	2g
PACKED	170mm	105mm	10mm	37.5g

CAPACITY	PART CODE	BARCODE (EAN)
1GB	INSD1GT	5039014165356
2GB	INSD2GT	5039014165363

This device should not be used as your sole backup.

Product design and specification subject to change or modification without notice. E&OE. All trademarks acknowledged.

5 year warranty

SD Card + Card Reader

INTRODUCTION

The Integral SD memory card can be used in a variety of digital products including Digital camera's, PDA's, Satelite Navigation and MP3/4 players.

FEATURES

- Memory card and USB card reader packed together in a great retail bundle product
- Transfer your data between SD devices and PC/Mac with ease
- High compatibility controller
- Protective case included

PRODUCT TYPE

SD Card with single slot USB card reader

INTERFACE TYPE

9 Pins

ENVIRONMENTAL PARAMETERS

Min Operating Temperature 0°c
Max Operating Temperature 60°c

COMPLIANT STANDARD

Secure Digital Association

	HIGHT	WIDTH	DEPTH	WEIGHT
PRODUCT	32mm	24mm	2.1mm	2g
PACKED	170mm	105mm	15mm	44g

CAPACITY	PART CODE	BARCODE (EAN)
2GB	INSD2GR	5039014163536

This device should not be used as your sole backup.

Product design and specification subject to change or modification without notice. E&OE. All trademarks acknowledged.

5 year warranty